



Immunization Schedules

[Immunization Schedules Home](#)

Vaccines and Other Immunizing Agents in the Child and Adolescent Immunization Schedule*

How to use the schedule

To make vaccination recommendations, healthcare providers should:

1. Determine recommended vaccine by age ([Table 1 - By Age](#))
2. Determine recommended interval for catch-up vaccination ([Table 2 - Catch-up](#))
3. Assess need for additional recommended vaccines by medical condition or other indication ([Table 3 - By Medical Indication](#))
4. Review vaccine types, frequencies, intervals, and considerations for special situations ([Notes](#))
5. Review contraindications and precautions for vaccine types ([Appendix](#))
6. Review new or updated ACIP guidance ([Addendum](#))

New Vaccines and Other Immunizing Agents added to the Schedule* ([See Addendum](#))

Monoclonal antibody	Abbreviation(s)	Trade name(s)
Respiratory syncytial virus monoclonal antibody (Nirsevimab)	RSV-mAb	Beyfortus™

Vaccines	Abbreviation(s)	Trade name(s)
COVID-19†	1vCOV-mRNA	Comirnaty®/Pfizer- BioNTech COVID-19 Vaccine
		Spikevax®/Moderna COVID-19 Vaccine

	1vCOV-aPS	Novavax COVID-19 Vaccine
Dengue vaccine	DEN4CYD	Dengvaxia®
Diphtheria, tetanus, and acellular pertussis vaccine	DTaP	Daptacel® Infanrix®
<i>Haemophilus influenzae</i> type B vaccine	Hib (PRP-T)	ActHIB® Hiberix®
	Hib (PRP-OMP)	PedvaxHIB®
Hepatitis A vaccine	HepA	Havrix® Vaqta®
Hepatitis B vaccine	HepB	Enerix-B® Recombivax HB®
Human papillomavirus vaccine	HPV	Gardasil 9®
Influenza vaccine (inactivated)	IIV4	Multiple
Influenza vaccine (live, attenuated)	LAIV4	FluMist® Quadrivalent
Measles, mumps, and rubella vaccine	MMR	M-M-R II® Priorix®
Meningococcal serogroups A, C, W, Y vaccine	MenACWY-CRM	Menveo®
	MenACWY-TT	MenQuadfi®
Meningococcal serogroup B vaccine	MenB-4C	Bexsero®
	MenB-FHbp	Trumenba®
Meningococcal serogroup A, B, C, W, Y vaccine	MenACWY-TT/MenB-FHbp	Penbraya™
Mpox vaccine	Mpox	Jynneos®
Pneumococcal conjugate vaccine	PCV15	Vaxneuvance™
	PCV20	Prenar 20®
Pneumococcal polysaccharide vaccine	PPSV23	Pneumovax 23®

Poliovirus vaccine (inactivated)	IPV	Ipol®
Respiratory syncytial virus vaccine	RSV	Abrysvo™
Rotavirus vaccine	RV1 RV5	Rotarix® RotaTeq®
Tetanus, diphtheria, and acellular pertussis vaccine	Tdap	Adacel® Boostrix®
Tetanus and diphtheria vaccine	Td	Tenivac® TDvax™
Varicella vaccine	VAR	Varivax®

Combination vaccines (use combination vaccines instead of separate injections when appropriate)

(Use combination vaccines instead of separate injections when appropriate)

Vaccines	Abbreviation(s)	Trade name(s)
DTaP, hepatitis B, and inactivated poliovirus vaccine	DTaP-HepB-IPV	Pediarix®
DTaP, inactivated poliovirus, and <i>Haemophilus influenzae</i> type B vaccine	DTaP-IPV/Hib	Pentacel®
DTaP and inactivated poliovirus vaccine	DTaP-IPV	Kinrix® Quadracel®
DTaP, inactivated poliovirus, <i>Haemophilus influenzae</i> type b, and hepatitis B vaccine	DTaP-IPV-Hib-HepB	Vaxelis®
Measles, mumps, rubella, and varicella vaccines	MMRV	ProQuad®

*Administer recommended vaccines if immunization history is incomplete or unknown. Do not restart or add doses to vaccine series for extended intervals between doses. When a vaccine is not administered at the recommended age, administer at a subsequent visit. The use of trade names is for identification purposes only and does not imply endorsement by the ACIP or CDC.

Last Reviewed: December 6, 2023

Source: [National Center for Immunization and Respiratory Diseases](https://www.cdc.gov/vaccines/schedules/hcp/imz/child-schedule-vaccines.html#print)